




SANTS سانس جروب GROUP

BRINGING YOUR DREAMS TO REALITY

Light up the world

📍 Cairo, EGYPT. 3 Abou Tamam st., Hadayak El Kobba. (+2) 02 233 023 99 (+2) 01 22 22 00 787
📍 Shenzhen, CHINA. 1709B Saige st., Hua Qlang Bel, Futian District.
📍 Kowloon, Hong Kong. 5/f Hang Pont Commercial Building ., 31 Tonkin st., Cheung Sha Wan.
📍 Vietnam : 0084-1688370651 📍 Malaysia : (+6)13416407902 📍 Kuwait : (+9)6560617291 📍 Sudan : (+2)49910745498
🌐 www.santsgroup.com ✉ info@santsgroup.com



New Model LED Flood Light

12V/24V DC 90-260V AC 50-60Hz

W	Lm	EQV	CCT	Ra	Angle	Size
10W	900lm	100W halogen lamp	2700-6500k	>70	120°	115*85*37mm
20W	1800lm	100W halogen lamp	2700-6500k	>70	120°	180*140*46mm
30W	2700lm	200W halogen lamp	2700-6500k	>70	120°	226*186*60mm
50W	4500lm	300W halogen lamp	2700-6500k	>70	120°	285*235*63mm



Bag-Style Series 12V/24V DC 90-260V AC 50-60Hz

W	Lm	EQV	CCT	Ra	Angle	Size
10W	1000lm	100W halogen lamp	2700-6500k	>70	120°	170*120*50mm
20W	2000lm	100W halogen lamp	2700-6500k	>70	120°	175*130*50 mm
30W	3000lm	200W halogen lamp	2700-6500k	>70	120°	182*150*50mm
40W	4000lm	300W halogen lamp	2700-6500k	>70	120°	280*220*80 mm
60W	6000lm	300W halogen lamp	2700-6500k	>70	120°	350*320*105 mm
80W	8000lm	500W halogen lamp	2700-6500k	>70	120°	350*320*105 mm
100W	10000lm	500W halogen lamp	2700-6500k	>70	120°	420*380*120 mm
120W	12000lm	500W halogen lamp	2700-6500k	>70	120°	430*400*130mm



Classic style COB LED Flood Light

COB Series 12V/24V DC 90-260V AC 50-60Hz

W	Lm	EQV	CCT	Ra	Angle	Size
10W	1000lm	100W halogen lamp	2700-6500k	>70	120°	115*86*105mm
20W	2000lm	150W halogen lamp	2700-6500k	>70	120°	180*140*110mm
30W	3000lm	200W halogen lamp	2700-6500k	>70	120°	" 225*185*135mm"
50W	5000lm	300W halogen lamp	2700-6500k	>70	120°	290*236*183mm
60W	6000lm	300W halogen lamp	2700-6500k	>70	120°	310*235*142 mm
70W	7000lm	70W HID	2700-6500k	>70	120°	335*230*160mm
80W	8000lm	100W HID	2700-6500k	>70	120°	360*285*110mm
100W	10000lm	100W HID	2700-6500k	>70	120°	373*288*103mm
120W	12000lm	150W HID	2700-6500k	>70	120°	385*285*170mm
150W	15000lm	150W HID	2700-6500k	>70	120°	425*325*200mm
200W	20000lm	220 HID	2700-6500k	>70	120°	455*325*200mm

